APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/781,883	02/20/2004	David James Seal	550-509	4228

23117   7590   05/18/2007

NIXON & VANDERHYE, PC
901 NORTH GLEBE ROAD, 11TH FLOOR
ARLINGTON, VA 22203

EXAMINER
FENNEMA, ROBERT E

ART UNIT	PAPER NUMBER
2183	

MAIL DATE	DELIVERY MODE
05/18/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

PTOL-90A (Rev. 04/07)

	Application No.	Applicant(s)
Office Action Summary	10/781,883	SEAL ET AL.
	Examiner	**Art Unit**	
	Robert E. Fennema	2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on <u>08 February 2007</u>.

2a) ☐ This action is **FINAL**.   2b) ☒ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) <u>1-33</u> is/are pending in the application.

     4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) <u>1-33</u> is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.

     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

     a) ☐ All   b) ☐ Some * c) ☐ None of:

       1. ☐ Certified copies of the priority documents have been received.

       2. ☐ Certified copies of the priority documents have been received in Application No. _____.

       3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

     * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☐ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
     Paper No(s)/Mail Date <u>11/8/2006</u>.

4) ☐ Interview Summary (PTO-413)
     Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application

6) ☐ Other: _____ .

DETAILED ACTION

1.   Claims 1-33 have been considered. Claims 1, 12, and 23 amended as per

Applicant's request.

Claim Rejections - 35 USC § 102

2.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3.   Claims 1-6, 8-17, 19-28, and 30-33 are rejected under 35 U.S.C. 102(b) as being

anticipated by Jagger (GB 2,289,354).

4.   As per Claim 1, Jagger teaches: Apparatus for processing data, said apparatus

comprising:

data processing logic operable to perform data processing operations (Page 4,

Lines 17-18, the processor core); and

an instruction decoder operable to decode program instructions specifying data

processing operations to be performed by said data processing logic and to control said

data processing logic to perform said data processing operations (Page 4, Lines 19-21,

the decoding means); wherein

said instruction decoder is operable in a first mode in which program instructions

of a first instruction set are decoded (Page 7, Lines 25-28) and in a second mode in

which program instructions of a second instruction set are decoded (Page 7, Lines 25-

31), a subset of program instructions of said first instruction set having a common

storage order compensated encoding with a subset of program instructions of said

second instruction set such that, after compensating for storage order differences, all

bits are identical (Page 9, Lines 17-26) and forming a common subset of instructions

representing at least one class of instructions (Page 4, Lines 24-29), said common

subset of instructions controlling said data processing logic to perform the same data

processing operations independent of whether said instruction decoder is operating in

said first mode or said second mode (Page 8, Lines 19-27. The one to one mapping of

instructions means that the instructions will be decoded the same way, meaning the

data will be processed the same way regardless of which way it was fetched or

decoded, for those instructions).

5.   As per Claim 2, Jagger teaches: Apparatus as claimed in claim 1, wherein said

instruction decoder is operable to use common portions of said data processing logic to

execute instructions of said common subset of instructions (Page 3, Line 33 – Page 4,

Line 1. Registers are shared between the instruction sets).

6.   As per Claim 3, Jagger teaches: Apparatus as claimed in claim 1, wherein said

common subset of instructions includes a class of instructions being coprocessor

instructions operable to control coprocessor data processing operations using

coprocessor logic common to said first instruction set and said second instruction set

(Page 3, Line 33 – Page 4, Line 1. Registers are shared between the instruction sets).

7.   As per Claim 4, Jagger teaches: Apparatus as claimed in claim 3, wherein all unconditional coprocessor instructions are within said common subset (Page 9, Lines 31-36, the smaller bit size instructions (the subset) are unconditional).

8.   As per Claim 5, Jagger teaches: Apparatus as claimed in claim 1, wherein said first instruction set is a fixed length instruction set of N-bit instructions (Page 6, Lines 17-25, where N equals 16).

9.   As per Claim 6, Jagger teaches: Apparatus as claimed in claim 5, wherein N is one of 32 or 16 (Page 6, Lines 17-25, where N equals 16).

10.   As per Claim 8, Jagger teaches: Apparatus as claimed in claim 1, wherein at least one program instruction within said common subset of instructions performs common data processing operations in either said first mode or said second mode but generates different result data values depending upon whether said instruction decoder is operating in said first mode or said second mode (Page 6, Lines 12-14, the PC is updated differently in the different modes).

11.   As per Claim 9, Jagger teaches: Apparatus as claimed in claim 8, wherein said at least one program instruction generating different result data values includes a program

counter value as an input operand (Page 6, Lines 7-8).

12.   As per Claim 10, Jagger teaches: Apparatus as claimed in claim 9, wherein a

different relationship is maintained between said program counter value and an address

of an instruction being executed depending upon whether said instruction decoder is

operating in said first mode or said second mode (Page 6, Lines 12-14).

13.   As per Claim 11, Jagger teaches: Apparatus as claimed in claim 8, wherein said

at least one program instruction generating different result data values includes a

program status register value as an input operand (Page 5 Line 31 – Page 6 Line 7).

14.   As per Claim 12, Jagger teaches: A method of processing data, said method

comprising the steps of:

        performing data processing operations with data processing logic (Page 4, Lines

17-18, the processor core); and

        decoding with an instruction decoder program instructions specifying data

processing operations to be performed by said data processing logic and controlling

said data processing logic to perform said data processing operations (Page 4, Lines

19-21, the decoding means); wherein

        in a first mode program instructions of a first instruction set are decoded (Page 7,

Lines 25-28) and in a second mode program instructions of a second instruction set are

decoded (Page 7, Lines 25-31), a subset of program instructions of said first instruction

set having a common storage order compensated encoding with a subset of program

instructions of said second instruction set such that, after compensating for storage

order differences, all bits are identical (Page 9, Lines 17-26) and forming a common

subset of instructions representing at least one class of instructions (Page 4, Lines 24-

29), said common subset of instructions controlling said data processing logic to

perform the same data processing operations independent of whether said instruction

decoder is operating in said first mode or said second mode (Page 8, Lines 19-27. The

one to one mapping of instructions means that the instructions will be decoded the

same way, meaning the data will be processed the same way regardless of which way it

was fetched or decoded, for those instructions).

15.   As per Claim 13, Jagger teaches: A method as claimed in claim 12, wherein

common portions of said data processing logic are used to execute instructions of said

common subset of instructions (Page 3, Line 33 – Page 4, Line 1. Registers are shared

between the instruction sets).

16.   As per Claim 14, Jagger teaches: A method as claimed in claim 12, wherein said

common subset of instructions includes a class of instructions being coprocessor

instructions operable to control coprocessor data processing operations using

coprocessor logic common to said first instruction set and said second instruction set

(Page 3, Line 33 – Page 4, Line 1. Registers are shared between the instruction sets).

17.   As per Claim 15, Jagger teaches: A method as claimed in claim 14, wherein all

unconditional coprocessor instructions are within said common subset (Page 9, Lines

31-36, the smaller bit size instructions (the subset) are unconditional).

18.   As per Claim 16, Jagger teaches: A method as claimed in claim 12, wherein said

first instruction set is a fixed length instruction set of N-bit instructions (Page 6, Lines

17-25, where N equals 16).

19.   As per Claim 17, Jagger teaches: A method as claimed in claim 16, wherein N is

one of 32 or 16 (Page 6, Lines 17-25, where N equals 16).

20.   As per Claim 19, Jagger teaches: A method as claimed in claim 12, wherein at

least one program instruction within said common subset of instructions performs

common data processing operations in either said first mode or said second mode but

generates different result data values depending upon whether said instruction decoder

is operating in said first mode or said second mode (Page 6, Lines 12-14, the PC is

updated differently in the different modes).

21.   As per Claim 20, Jagger teaches: A method as claimed in claim 19, wherein said

at least one program instruction generating different result data values includes a

program counter value as an input operand (Page 6, Lines 7-8).

22.   As per Claim 21, Jagger teaches: A method as claimed in claim 20, wherein a

different relationship is maintained between said program counter value and an address

of an instruction being executed depending upon whether said instruction decoder is

operating in said first mode or said second mode (Page 6, Lines 12-14).

23.   As per Claim 22, Jagger teaches: A method as claimed in claim 19, wherein said

at least one program instruction generating different result data values includes a

program status register value as an input operand (Page 5 Line 31 – Page 6 Line 7).

24.   As per Claim 23, Jagger teaches: A computer program product having a

computer program operable to control a data processing apparatus containing data

processing logic operable to perform data processing operations (Page 4, Lines 17-18,

the processor core), said computer program comprising:

       program instructions of a first instruction set (Page 7, Lines 25-28) and program

instructions of a second instruction set (Page 7, Lines 25-31), that control said data

processing logic to perform said data processing operations; wherein

       a subset of program instructions of said first instruction set have a common

storage order compensated encoding with a subset of program instructions of said

second instruction set such that, after compensating for storage order differences, all

bits are identical (Page 9, Lines 17-26) and form a common subset of instructions

representing at least one class of instructions (Page 4, Lines 24-29), said common

subset of instructions controlling data processing logic to perform the same data

processing operations independent of whether instructions of said first instruction set or of said second instruction set are being decoded (Page 8, Lines 19-27. The one to one mapping of instructions means that the instructions will be decoded the same way, meaning the data will be processed the same way regardless of which way it was fetched or decoded, for those instructions).

25.   As per Claim 24, Jagger teaches: A computer program product as claimed in claim 23, wherein common portions of said data processing logic are used to execute instructions of said common subset of instructions (Page 3, Line 33 – Page 4, Line 1. Registers are shared between the instruction sets).

26.   As per Claim 25, Jagger teaches: A computer program product as claimed in claim 23, wherein said common subset of instructions includes a class of instructions being coprocessor instructions operable to control coprocessor data processing operations using coprocessor logic common to said first instruction set and said second instruction set (Page 3, Line 33 – Page 4, Line 1. Registers are shared between the instruction sets).

27.   As per Claim 26, Jagger teaches: A computer program product as claimed in claim 25, wherein all unconditional coprocessor instructions are within said common subset (Page 9, Lines 31-36, the smaller bit size instructions (the subset) are

unconditional).

28.   As per Claim 27, Jagger teaches: A computer program product as claimed in

claim 23, wherein said first instruction set is a fixed length instruction set of N-bit

instructions (Page 6, Lines 17-25, where N equals 16).

29.   As per Claim 28, Jagger teaches: A computer program product as claimed in

claim 27, wherein N is one of 32 or 16 (Page 6, Lines 17-25, where N equals 16).

30.   As per Claim 30, Jagger teaches: A computer program product as claimed in

claim 23, wherein at least one program instruction within said common subset of

instructions performs common data processing operations when instructions of either

said first instruction set or said second instruction set are being decoded but generates

different result data values (Page 6, Lines 12-14, the PC is updated differently in the

different modes).

31.   As per Claim 31, Jagger teaches: A computer program product as claimed in

claim 30, wherein said at least one program instruction generating different result data

values includes a program counter value as an input operand (Page 6, Lines 7-8).

32.   As per Claim 32, Jagger teaches: A computer program product as claimed in

claim 31, wherein a different relationship is maintained between said program counter

value and an address of an instruction being executed depending upon whether said

instruction decoder is operating in said first mode or said second mode (Page 6, Lines

12-14).

33.   As per Claim 33, Jagger teaches: A computer program product as claimed in

claim 30, wherein said at least one program instruction generating different result data

values includes a program status register value as an input operand (Page 5 Line 31 –

Page 6 Line 7).

Claim Rejections - 35 USC § 103

34.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

35.   Claims 7, 18, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Jagger, in view of McFarland et al. (USPN 5,781,753, herein McFarland).

36.   As per Claim 7, Jagger teaches an Apparatus as claimed in claim 1, but fails to

explicitly teach:

wherein said second instruction set is a variable length instruction set.

Jagger teaches a system to allow a first and second instruction set to run on the

same processor without a large amount of increased logic, but does not explicitly teach

that the second instruction set is a variable length instruction set. However, McFarland teaches that the x86 architecture, one of the most widely used architectures in PC's, and what made PCs into a mass-market item (Column 2, Lines 9-20), contains variable-length instructions that need to be dealt with when designing a machine to run the architecture (Column 5, Lines 56-65). Given the popularity and wide usage of the x86 processor, and the advantage of using Jagger's system to allow instruction sets of different lengths to work together with minimal cost, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate Jagger's invention into a machine running an x86 architecture, which would make variable-length instructions one of the instruction sets Jagger deals with. Claims 18 and 29 have similar limitations and are rejected for the same reasons.

Response to Arguments

37.   Applicant's arguments filed 2/8/2007 have been fully considered but they are not persuasive. Applicant has made the argument that in more clearly defining what a "common storage order compensated encoding" is, that Jagger is overcome. However, Examiner is not persuaded that this clarification of "common storage order compensated encoding" overcomes Jagger, in fact, Jagger appears to do the same thing the applicant is claiming. Applicant has clarified the encoding such that it means "after compensating for storage order differences, all bits are identical" (between two instruction sets, one of which has a subset of instructions which have this common encoding with the other set). Examiner asserts that Jagger teaches this feature. Jagger

teaches a system in which there are two different instruction sets, a 16-bit set and a 32-bit set, where the 16-bit set is a subset of the 32-bit set (Page 2, Lines 1-2). Jagger realizes that in order to normally perform these two sets, two different decoders would be required, increasing complexity in the machine, so Jagger converts the 16-bit instructions into 32-bit instructions, such that common decode logic can be used (Page 2, Lines 6-9). Page 8, Lines 7-9 also disclose why it is very important to map the 16-bit instructions to the 32-bit instructions. Furthermore, Jagger discloses that there is a one-to-one mapping between instructions of the second set and first set, meaning that all instructions of the smaller set can be converted to instructions of the first set (See Page 8, Lines 19-27). As Figure 5 shows, and as is further explain on Page 9, Lines 17-36, a 16-bit instruction can be mapped to a 32-bit instruction by either copying bits over, or with a slight mapping (storage differences). After the conversion, a 16-bit instruction is bitwise identical for a 32-bit instruction which has not made use of the larger available fields (as the 16-bit instruction just pads with 0's to fill it out, see Page 9, Lines 22-26 for specifics). Given these disclosures, Examiner does not see how the claims overcome the teachings of Jagger, as Jagger teaches that after compensating for storage order differences (the conversion from 16 to 32 bits), all bits are identical in any case where a 32-bit instruction is trying to do the same thing. Therefore, the Examiner does not find the Applicants arguments persuasive.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Robert E. Fennema whose telephone number is (571)

272-2748. The examiner can normally be reached on Monday-Friday, 8:45-6:15.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert E Fennema
Examiner
Art Unit 2183

RICHARD L. ELLIS
PRIMARY EXAMINER

RF